



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/998,895	11/30/2001	Joan C. Teng	021756-013000US	4164
51206 7590 02/01/2010 TOWNSEND AND TOWNSEND AND CREW LLP/ORACLE TWO EMBARCADERO CENTER 8TH FLOOR SAN FRANCISCO, CA 94111-3834				
EXAMINER RUTLEDGE, AMELIA L				
ART UNIT		PAPER NUMBER		
2176				
MAIL DATE		DELIVERY MODE		
02/01/2010		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



## UNITED STATES DEPARTMENT OF COMMERCE

## U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
09998895	11/30/2001	TENG ET AL.	021756-013000US

TOWNSEND AND TOWNSEND AND CREW LLP/ORACLE  
TWO EMBARCADERO CENTER  
8TH FLOOR  
SAN FRANCISCO, CA 94111-3834

## EXAMINER

AMELIA RUTLEDGE

ART UNIT	PAPER
----------	-------

2176

20100119A

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

## Commissioner for Patents

Enclosed please find the Information Disclosure Statement filed 05/24/2006, which was previously considered and placed in the application file, with the listings of official communications on pages 5-7 having been lined through because they are not published prior art. The IDS is being remailed following the notice of allowance of 12/07/2009, to clarify that the Non-Patent Literature reference numbered C1, on page 5 of the IDS, "Myers, M, et al., 'X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP'...", has been considered and should be listed on the issued patent.

/Amelia Rutledge/  
Primary Examiner, Art Unit 2176